Electronic wheel balancer Librak338FMD

GTIN: 5063084201461

SKU: ROT.LB338.201461

Backlit LCD graphic display (132 x 40 mm), automatic detection of distance and diameter, automatic cycle, wheel brake, incl. cones for cars, wheel hood and handwheel quickfit nut, passenger car, rim diameter 10 – 26⍰ | Red (RAL 3002)

DESCRIPTION

ACCESSORIES

Quick clamping nut with pressure ring
GAR101
Double centering, quickfit nut

Clamping nut for passenger cars | with pressure ring
GAR104
Double centering

Clamping nut with handwheel and pressure ring | for passenger cars
GAR105
Double centering, handwheel nut

Product 366464
366464

Rim protection disk
GAR121

Precision type clamping flange for 5-hole rims | 98 – 100 – 108 – 112 – 120,65 – 130 – 139,7 mm
GAR142
Stand flange for wheels

Centering cone BMW
GAR192N
Centering bush for BMW | option for universal flange GAR181N or GAR191N

Centering cone for Ducati 916-996-998-Monster SR2-SR4
GAR193N
Centering bush | option for universal flange GAR181N or GAR191N



Centering cone for Honda NTV 650 REVERE
GAR194N
Centering bush | option for universal flange GAR181N or GAR1



Centering cone for Honda VFR 750
GAR195N
Centering bush | option for universal flange GAR181N or GAR191N

Centering cone for Yamaha GTS 1000
GAR196N
Centering bush | option for universal flange GAR181N or GAR191N

Centering cones for Harley Davidson | 1 set / 2 pieces
GAR197N
Centering bushes | option for universal flange GAR181N or GAR191N

Centering cones for Suzuki GSX R
GAR198N
Option for universal flange GAR181N or GAR191N | 1 set / 6 pieces

Precision centering cones Ø 42,5 – 78 mm
GAR155
For wheel balancers | 1 set / 5 pieces

ACCESSORIES



Centering bushes
GAR147N
For Renault | Ø 60 / 66 mm | 1 set / 2 pieces

Centering bushes
GAR220
For Renault Trafic Master, incl. Spacer | Ø 71 / 88.9 / 129.9 mm | 1 set / 3 pieces

Centering cone for vans and light trucks | Ø 118 – 174 mm
GAR113
Incl. spacer

Precision type clamping flange Universal, for wheels with 3/4/5 holes | with studs
GAR132
Universal flange with stands

Type clamping flange Universal | for 3/4/5-hole rims without center hole
GAR131H
Universal flange for blind wheels | incl. center to center calliper

Automatic wheel width gauge
GAR301



Double centering cone for off road vehicles | Ø 124 – 128 / 122 – 126 mm
GAR323

Universal flange
GAR181N
For motorcycles | with shaft, Ø 14 mm, and accessories | GAR181A1 required

Universal flange
GAR354
For motorcycles | without shaft and accessories | GAR181A1 required

Quick clamping nut with pressure ring
GAR345
Double centering, quickfit nut, for car wheels (excluding pneumatic locking versions)

Type clamping flange for BMW with 5-hole rims | 112 – 120 mm
GAR357
Set of columns flange for 5-hole BMW wheels | incl. center ring Ø 66.5 mm | for all models

Centering bush for BMW, Mercedes Benz, Audi, Opel | stepped | Ø 56 – 57 – 66.5 – 72.5 – 72.6 – 74 – 74.1 mm
GAR148N



Centering cone
GAR112
For off-road vehicles | Ø 95 - 132 mm

Wheel lift with automatic compensation of wheel weight
GAR324
80 kg, passenger car

TECHNICAL DETAILS

Wheel data recording	Manually
Colour	3002RAL
Tread depth measurement	Not possible
TeqLink	Not possible
Workshop-Net	Not possible
Measuring speed	< 100rpm
Measuring time	7s
Balancing accuracy +/-	1g
Display	LCD, backlit
Min. rim width	1,5"
Max. rim width	22"
Min. rim diameter	10"
Max. rim diameter	26"
Max. wheel diameter	900mm
Max. wheel weight	65kg
Electrical connection	230 V, 50 - 60 Hz
Phases	1
Width	1566mm
Depth	742mm
Height	979mm
Weight	80kg
Country of Origin, customs	IT